



SANZ GROUP USA

Catalog **2026**



PULMIC
TAKE CONTROL

EZ KUT



SANZ GROUP USA based in Hialeah FL, is a company dedicated to manufacturing extremely high quality commercial and DIY garden, agriculture, outdoor cutting tools and sprayers.

Today our brands have a presence in more than 60 countries. We have a competitive advantage by controlling the entire manufacturing process. From design, mold manufacturing, injection of plastic parts, assembly, quality control and customer service.

Our international headquarters and factory is located in Valencia, Spain. (Europe) The factory has more than 322,000 square feet. It is composed of a multi disciplinary team. R&D, engineers, product designers, project managers and management.

SANZ GROUP USA is made up of 3 unique brands.



"We are capable of adapting to the needs of our customers by controlling the entire product manufacturing process"



Design

Mold manufacturing

Plastic Injection

Assembly



PULMIC brand specialized in agricultural spraying. PULMIC products are designed for professionals who want to have the greatest possible control of applications with high quality performance and always respecting the environment.

1987 — Pulmic

1988 — Ez-Kut



EZ KUT was born from the desire to build extremely high quality. EZ KUT's time tested designs, have survived the harshest environments and toughest individuals. From weekend warriors to the hardcore professionals. The EZ KUTTER is someone who hates junk tools and doesn't settle for anything less than the best.



KAMIKAZE brand specialized in outdoor cutting tools for different uses. It is one of the leading brands in the European market, where the combination of Japanese steel with components manufactured by us makes the products competitive and high performance.

2000 — Kamikaze

EZ KUT



Pruning Tools



RATCHETING PRUNER

ITEM #3130

Max. 1.5 inches Blade 2.17 inches



NUMBER 1 RATED BY OUTDOORSMAN FARMERS / GARDENERS



Anvil system



SPECIFICATIONS

- Available in Green or Pink
- All Metal Construction
- SK-5 Carbon Hardened Steel
- Blade
- Replaceable Blade
- Wrap-Around Knuckle Protector

Product video



LENGTH: 8 inches | WIDTH: 3 inches | WEIGHT: 12 oz

RATCHETING PRUNER

ITEM #3130PNK

Max. 1.5 inches Blade 2.17 inches



NUMBER 1 RATED BY OUTDOORSMAN FARMERS / GARDENERS



Anvil system



Replaceable Components



A 3130PBK Pruner Blade replacement kit



B 3130SPRNG Pruner spring replacement

G2 LOPPER

Max. 3.0 inches Blade 2.7 inches



Product video



ITEM #EZ7684

Replaceable Components




A 7684 RB G2 Lopper Replacement Blade
B 7684 SPRNG Spring



LIL G RATCHET LOPPER

Max. 2.0 inches Blade 2.3 inches

Product video



Replaceable Component



A LG7684-B Blade
B 7684 SPRNG Spring



ITEM #3100EZ5

CARBIDE SHARPENER



Designed to carry with you, this handy sharpener has a Carbide working end and ergonomic textured rubber handle to make sharpening your EZ KUT tools a breeze!

Product video



ITEM #3130PS

ITEM #3130PPS

EZ KUT SHEATH



SPECIFICATIONS

Product video



- Ballistic Nylon Material
- High Quality Metal Belt Clip
- Pull Thru Belt Opening
- High Quality Metal Snap

LENGTH: 8 inches | WIDTH: 4 inches
DEPTH: 1 inch | WEIGHT: .15 lbs

Qty. / Pack: 1



ITEM #3110SLP

ITEM #3110SLPPK



EZ KUT SLING PAK



SPECIFICATIONS

- Military Grade Ballistic Nylon
- Innovative Pull Thru Opening
- Flex Formed Opening for Quick and Easy Access
- Reflective Markers
- Additional Attachment Points
- Triple Stitched Stress Points

LENGTH: 21 inches | DEPTH: 2.5 inches
WIDTH: 8 inches | WEIGHT: .75 lbs

Qty. / Pack: 1

SLING PAK

Product video





Pruning Shears





KAMIKAZE HAND PRUNERS

Product video

Easy to use blade locking

Ergonomic handle with non-slip grip

Teflon-coated blades

SK-5 steel blade

Rubber pad

Professional Use

VERTICAL TILT
Approaches the branch from a more natural position, reducing fatigue.

LATERAL TILT
Reduces wrist rotation, avoiding injuries.

ITEM #15642
PROTECTIVE SHEATH
WITH MAGNETIC CLIP
FOR QUICK ATTCHMENT

EASY & ECO FRIENDLY
-READY TO USE-
(10 units box)

KM1-M FORCE

ITEM #10930

Max. 0.8 inches | Blade 1.8 inches

Bypass system

FREE SHEATH

Replaceable Blade and Components

A	7199	Stopper & Spring Kit
B	9064	Screws Blister Set (Handle)
C	10940	Central Screw Kit
D	10943	Shear Blade
E	10944	Shear Counter Blade

KM2-L ADVANCE

ITEM #6416

Max. 1.0 inches | Blade 2.5 inches

Bypass system

FREE SHEATH

Replaceable Blade and Components

A	6424	Central Screw Kit
B	7199	Stopper & Spring Kit
C	9064	Screws Blister Set (Handle)
D	6423	Screw & anvil kit
E	6422	Shear Blade

KM1- MR ADVANCE

ITEM #8916

Max. 0.8 inches | Blade 2.0 inches

Bypass system


FREE SHEATH

Replaceable Blade and Components

A	6424	Central Screw Kit
B	7199	Stopper & Spring Kit
C	9064	Screws Blister Set (Handle)
D	4230	Screw & anvil kit
E	4228	Shear Blade



KAMIKAZE HAND PRUNERS



KM-5 FORGED SPECIFICATIONS

- All Metal Construction
- SK-5 Carbon Hardened Steel Blade
- Semi-professional use
- Non-slip handle

ITEM #9717
LENGTH: 8.3 inches | WIDTH: 3.97 inches | WEIGHT: 10.3 oz

Qty. / Pack: 10

KM-22 CLASSIC SPECIFICATIONS

- All Metal Construction
- SK-5 Carbon Hardened Steel Blade
- Semi-professional use
- Ideal for green wood

ITEM #6207
LENGTH: 8.3 inches | WIDTH: 3.97 inches | WEIGHT: 11.2 oz

Qty. / Pack: 10



FREE SHEATH

WITH MAGNETIC CLIP
FOR QUICK ATTCHMENT



FREE SHEATH

WITH BELT LOOP
FOR EASIER ACCESS


KM-5 FORGED

ITEM #9717

Max. 1.0 inch Blade 2.1 inches



FREE SHEATH



Replaceable Blade and Components

A	6127	Central Screw Kit
B	6128	Spring shear
C	8599	Screw Kit
D	11202	Shear blade



Bypass system



KM-22 CLASSIC

ITEM #6207


Max. 0.8 inch Blade 2.1 inches



Bypass system




FREE SHEATH



Replaceable Blade and Components

A	6278	Stopper & spring blister set
---	------	------------------------------





Hand Saws





KAMIKAZE SAWS

Minimum blade thickness to reduce friction

Japanese hardened teeth SK4

Internal screws Easily replaceable

PP handle shears with fiber glass (80/20)

Anti-slip rubber



Metal Lock

Non-Slip Rubber Grip

Impulse Hardened Teeth

Taper Ground Blade

Slotted Blade




S-330 ADVANCE

ITEM #6532

Max. 4.0 inches Blade 13.0 inches



LENGTH: 19 inches
WIDTH: 1 inch
WEIGHT: 12.7 oz



- Spare Parts
- A 6536 Blade
 - B 9270 Screws kit
 - C 9271 Rubber handle
 - D 14834 Case
 - E 14849 Buckle with loop


S-300H ADVANCE

ITEM #2977

Max. 4.0 inches Blade 12.0 inches



LENGTH: 19.7 inches
WIDTH: 1 inch
WEIGHT: 13 oz



- Spare Parts
- A 1634 Blade
 - B 9270 Screws kit
 - C 9272 Rubber handle
 - D 15641 Case
 - E 14849 Buckle with loop

S-270H WOW SAW

ITEM #EZ5210

Max. 4.0 inches Blade 10.0 inches



OPEN LENGTH: 17.75 inches
CLOSED LENGTH: 10.5 inches
TOOTH PITCH: 1.5 inches for all types of wood
BLADE THICKNESS: 0.06 inches for fast cutting
WEIGHT: 8 oz




- Spare Parts
- A 5210RB Blade
 - B 5210H Handle



Pole Saws





ITEM #3006
LENGTH: 15 feet
WIDTH: 2 inches
WEIGHT: 4.3 lbs


ITEM #9249
LENGTH: 20 feet
WIDTH: 2 inches
WEIGHT: 6.2 lbs



Double safety lock



Optimized design
for more safety



POLE SAWS

made in
SPAIN


330-BH

15 FEET
ITEM #3006

Max. 4.0 inches | Blade 13 inches



Min. 5FT inches | Max. 15FT inches



ITEM #3006 / #9249

- A** 8402 Saw blade attachment point
- B** 8540 Upper dual locking system
- C** 8583 Screw kit telescopic (screws+nuts 4u.)
- D** 13643 Red blade scabbard

ITEM #3006

- E** 3537 Saw blade (330BH)
- F** 171 Telex extension (3 times 4.9ft)
- G** 850. Blade + Blade attachment point + scabbard (330BH)


20 FEET
360-BH

ITEM #9249

Max. 4.0 inches | Blade 14 inches



Min. 6FT inches | Max. 20FT inches



ITEM #9249

- K** 6537 Saw blade (360BH)
- L** 8504 Blade + Blade attachment point + scabbard (360BH)
- M** 9250 Aluminium tube (6.5 ft.)
- N** 9251 Extensible telescopic (3 times 6.5 ft.)

made in
SPAIN



KAMIKAZE TELEX 3X2 360BH MAX

ITEM #19598

21 FEET


NEW

Max. 4.0 inches Blade 14 inches



Min. 7FT inches

Max. 21FT inches



349,7mm / 14"

Chrome plated blade

Japanese hardened teeth SK4

Double safety lock


Double hook

Internal screws Easily replaceable




SPECIFICATIONS

- SK-4 Carbon Hardened Steel Blade
- Impulse-hardened teeth
- Reduced weight at the upper end
- Saw holder with integrated screws
- Reinforced oval aluminium pole
- Non-slip rubber grip
- Guaranteed spare parts for long term use



Kamikaze™
Performance in your hands






⚡ELECTRIC



KV295 // CORDLESS PRUNER

ITEM #KV295USA



Product video



SPECIFICATIONS


MOTOR BRUSHLESS: 150W
MAXIMUM DIAMETER: Ø 1.0 inch
WEIGHT (SHEARS + BATTERY): 3.3 lb

BATTERY

POWER: 36Wh
14,4V / 2.5 Ah
CHARGING CURRENT: 1,0 Amp
CHARGING TIME 3-4h
AUTONOMY 2-3h

Per battery. Variable depending on usage

INCLUDES



KVS5100 // CORDLESS CHAINSAW

ITEM #KVS5100USA



Product video



SPECIFICATIONS

MOTOR BRUSHLESS: 350W
MAXIMUM DIAMETER: Ø 3,15 inches
WEIGHT (SHEARS + BATTERY): 2.3 lb
BAR LENGTH: 5"

BATTERY

POWER: 36Wh
14,4V / 2.5 Ah
CHARGING CURRENT: 1,4 Amp
CHARGING TIME 3h
AUTONOMY 1-2h


Per battery. Variable depending on usage

INCLUDES




KVS7000P // CORDLESS POLESAW


ITEM #KVS7000PUSA




Ergonomic handle



Auto lubrication
Semi-automatic lubrication system



8" bar/ 48 links



Smart display
Battery
Working hours
Lubrication

SPECIFICATIONS

MOTOR BRUSHLESS: 950W
MAXIMUM DIAMETER: Ø 6.3 inches
WEIGHT (SHEARS + BATTERY): 7 lb
BAR LENGTH: 8"


BATTERY


POWER: 86,4 Wh
21,6V-4,0Ah
CHARGING CURRENT: 1,4 Amp
CHARGING TIME 3-4h
AUTONOMY 1-3h
Per battery. Variable depending on usage

BAR LENGTH

5,75 FT
8,2 FT

Product video








INCLUDES





PULMIC



Sprayers



made in
SPAIN 



Product video




Eccentric pump
Less wear

PULMIC RAPTOR 16 ADVANCE

ITEM #13223

Useful capacity
4.25 gal

INCLUDED ACCESSORIES
Adjustable nozzle
Herbicide nozzle
Test tube to dose the machine



Replaceable Components

A	2320	Pin
B	802	Lever clip
C	13249	Chamber (complete)
D	2416P	PRODUR piston
E	13275	Cylinder (complete)
F	6505	Complete hose



made in
SPAIN 

ELECTRIC

TECHNOLOGY
Li-ion

PULMIC PEGASUS 15

ITEM #13964USA

Useful capacity
4 gal

Drain plug / filter



Removable battery

INCLUDED ACCESSORIES

- 15293** Adjustable nozzle
- 871P** Herbicide nozzle
- 8740** Four flow outputs nozzle
- Test tube to dose the machine
- 3586** Extension to extend the length of the lance


3 Speed
up to **58** psi

3S

Padded
straps



Product video



Replaceable Components

A	1300	Handle axis
B	1372	Full handle
C	1882	Full lance
D	13730K	Membrane pump 12V 2,2L min
E	13943	Lithium battery 18V
F	14694	Hose
G	14155	Control Unit
H	15293	Elbow with red adjust. nozzle
I	15906	Charger USA



made in  **ELECTRIC** 

PULMIC PEGASUS 35

ITEM #16861USA



3 speeds



Removable battery



Product video




19.75 FEET HOSE



Extra wide opening +
Filling filter



4-7H



Replaceable Components

- | | | |
|----------|---------------|-------------------------------|
| A | 1300P | Handle axis |
| B | 1372 | Full handle |
| C | 1882 | Full lance |
| D | 13730K | Membrane pump 12V 2,2L min |
| E | 13943 | Lithium battery 18V |
| F | 15968 | Hose |
| G | 14155 | Control Unit |
| H | 15293 | Elbow with red adjust. nozzle |
| I | 15906 | Charger USA |

INCLUDED ACCESSORIES

- | | |
|--------------|---|
| 15293 | Adjustable nozzle |
| 9036 | Herbicide nozzle |
| 8740 | Four flow outputs nozzle |
| | Test tube to dose the machine |
| 3586 | Extension to extend the length of the lance |



Useful capacity
9.25 gal


3 Speed **3S**
up to 58 psi



made in  **ELECTRIC** TECHNOLOGY 

PULMIC INDUSTRIAL 15

NEW


3 Speed 
up to 100 psi

ITEM #18421USA




Useful capacity
4 gal

Product video



Replaceable Components

- A 13981P** Pistol handle
- B 13982P** Industrial 15 lance set
- C 16573K** Membrane pump 12V 2,2L min
- D 13730** Lithium battery 18V
- E 14694** Hose
- F 14699** Control Unit
- G 15906** Charger USA



Drain plug / filter



Removable battery



Industrial Handle with trigger

INCLUDED ACCESSORIES

- 13984P** 0° nozzle
- 13985P** 25° nozzle
- 13983P** 40° nozzle
- Battery
- Charger

INCLUDED ACCESSORIES

KIT NOZZLE QUICK-CONNECT

Ref. 19097



ADDITIONAL ACCESSORIES

Ref. 9103 Telescopic lance - 16,5 inches



Ref. 19095
180° Adjustable Adapter
5 positions

Compatible with
5 m lance and INDUSTRIAL 15




Ref. 19098
Nozzle Adapter



Ref. 19097

1 u / pack

Quick-connect nozzle




made in

SPAIN



PULMIC TELESCOPIC LANCE 16.5 FEET

 3.3LBS

 Extendable from 3.9 to 16.5 ft



Product video

ITEM #9103

UNIVERSAL TELESCOPIC EXTENSION LANCE
100 % COMPATIBLE WITH MOST SPRAYERS
ON THE MARKET

INCLUDED



Adjustable tube



Adjustable nozzle



Two connection options

- Installation without tools
- Precise fit with no leaks
- Compatible with most other sprayers



Roof cleaning



Solar panels



Tall trees and objects



FULLY COMPATIBLE WITH OUR SPRAYERS



RAPTOR 16



PEGASUS 15



INDUSTRIAL 15



PEGASUS 35

ADDITIONAL ACCESSORIES

Ref. 19097

1 u / pack


Quick-connect nozzle



Ref. 19095

180° Adjustable Adapter / 5 positions

Compatible with 5 m lance and INDUSTRIAL 15



Ref. 19098

Nozzle Adapter



POINT OF SALE / DISPLAYS

ITEM #12868

KAMIKAZE



ITEM #14196

PULMIC



Follow us



kamikazepruning
pulmicsprayers



kamikaze.usa
pulmic.usa



Sanzhermanos

ITEM #11224

KAMIKAZE



ITEM #13059

KAMIKAZE



ITEM #7851

PULMIC



Sales policy:

- Transport incidents must be communicated within a maximum period of 24 hours, always sending photos of the product with its original packaging. Do not forget to note the incident on the transport delivery note.
- Returns of products will not be accepted for payment, whose original packaging is not in perfect condition.
- Please pack and protect the original containers.
- Products with transport stickers in their original packaging and unsealed will not be accepted.
- For claims of lack of material in the order, the maximum period is 72 hours from receipt.
- Returns of new material will only be accepted for credit within a period of 14 days from receipt of the item.
- The company reserves the right to modify the prices during the year if it deems it necessary.
- To claim guarantees, it must be done through the website:

gruposan.us

All trademarks and company names in this catalog are the property of Sanz Group USA reserves the right to modify this catalogue, its products or their characteristics or colors without prior notice. The size of the products may not be proportional to each other.



SANZ GROUP USA

📍 USA Headquarters

Miami, Florida

EMAIL: customer@gruposanzen.es

www.gruposanz.us